

Table AWM-2.--Agricultural Waste Management
East Baton Rouge Parish, Louisiana

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CaB: Cahaba-----	90	Not Rated Not Rated; CEC or Clay Seepage Too acid	1.00 0.91	Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay Too acid Filtering capacity	0.91 0.00
Cc: Calhoun-----	90	Very limited Depth to saturated zone Too acid Seepage Too level	1.00 1.00 0.69 0.50	Very limited Restricted permeability Depth to saturated zone Too acid	1.00 1.00 0.14	Very limited Depth to saturated zone Too acid Restricted permeability	1.00 1.00 0.96
Cf: Calhoun-----	40	Very limited Depth to saturated zone Too acid Seepage Too level	1.00 1.00 0.69 0.50	Very limited Restricted permeability Depth to saturated zone Too acid	1.00 1.00 0.14	Very limited Depth to saturated zone Too acid Restricted permeability	1.00 1.00 0.96
Bonn-----	30	Not Rated Not Rated; CEC or Clay Depth to saturated zone Seepage Too level Too acid	1.00 0.69 0.50 0.31	Not Rated Not Rated; Ksat		Not Rated Not Rated; Ksat Not Rated; CEC or Clay Depth to saturated zone Too acid	1.00 0.31
Fountain-----	30	Not Rated Not Rated; CEC or Clay Depth to saturated zone Seepage Too level	1.00 1.00 0.69 0.50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Not Rated Not Rated; CEC or Clay Depth to saturated zone Restricted permeability	1.00 1.00 0.21
Cl: Cascilla-----	90	Not Rated Not Rated; CEC or Clay Flooding Seepage Too acid	1.00 1.00 1.00 1.00	Very limited Flooding Restricted permeability	1.00 1.00	Not Rated Not Rated; CEC or Clay Flooding Too acid	1.00 1.00
Co: Commerce-----	95	Very limited Seepage Depth to saturated zone Too level	1.00 0.68 0.50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Somewhat limited Depth to saturated zone Restricted permeability	0.68 0.21

Table AWM-2.--Agricultural Waste Management--Continued
East Baton Rouge Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Cr: Crevasse-----	100	Not Rated Not Rated; CEC or Clay Flooding	1.00	Very limited Flooding Depth to saturated zone	1.00	Not Rated Not Rated; CEC or Clay Filtering capacity Flooding	1.00
		Seepage Too level	1.00 0.50				1.00
De: Deerford-----	90	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone Sodium content Too acid	1.00 1.00 0.77	Restricted permeability	1.00	Sodium content Too acid	1.00 0.77
DfA: Deerford-----	60	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone Sodium content Too acid Too level	1.00 1.00 0.77 0.50	Restricted permeability	1.00	Sodium content Too acid	1.00 0.77
Olivier-----	30	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone Too acid Too level	1.00 0.77 0.50			Restricted permeability Too acid	0.96 0.77
DfB: Deerford-----	60	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone Sodium content Too acid	1.00 1.00 0.77	Restricted permeability	1.00	Sodium content Too acid	1.00 0.77
Olivier-----	30	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone Too acid	1.00 0.77			Restricted permeability Too acid	0.96 0.77
Dn: Deerford-----	60	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone Sodium content Too acid Too level	1.00 1.00 0.77 0.50	Restricted permeability	1.00	Sodium content Too acid	1.00 0.77
Verdun-----	30	Not Rated Not Rated; CEC or Clay Depth to saturated zone Seepage	1.00	Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay Depth to saturated zone	1.00
		Too level	0.69 0.50			Restricted permeability	0.21

Table AWM-2.--Agricultural Waste Management--Continued
East Baton Rouge Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
DrA: Dexter-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Too acid	0.31
		Too level	0.50				
		Too acid	0.31				
DrB: Dexter-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Too acid	0.31
		Too acid	0.31				
DuA: Dundee-----	65	Not Rated Not Rated; CEC or Clay Flooding	1.00	Very limited Restricted permeability Depth to saturated zone	1.00	Not Rated Not Rated; CEC or Clay Too acid	0.91
		Seepage	1.00	Flooding	0.60	Depth to saturated zone	0.84
		Too acid	0.91			Flooding	0.60
		Depth to saturated zone	0.84			Restricted permeability	0.21
Amagon-----	30	Very limited Flooding	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Flooding	0.60	Restricted permeability	0.96
		Depth to saturated zone	1.00			Too acid	0.77
		Too acid	0.77			Flooding	0.60
		Too level	0.50				
DuB: Dundee-----	65	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Restricted permeability Depth to saturated zone	1.00	Not Rated Not Rated; CEC or Clay Too acid	0.91
		Too acid	0.91			Depth to saturated zone	0.84
		Depth to saturated zone	0.84			Restricted permeability	0.21
		Too level	0.50				
Amagon-----	30	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Restricted permeability	0.96
		Too acid	0.77			Too acid	0.77
		Too level	0.50				
DyB: Dundee-----	40	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Restricted permeability Depth to saturated zone	1.00	Not Rated Not Rated; CEC or Clay Too acid	0.91
		Too acid	0.91			Depth to saturated zone	0.84
		Depth to saturated zone	0.84			Restricted permeability	0.21
Tensas-----	40	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Too acid	0.91	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Flooding	0.40			Too acid	0.91

Table AWM-2.--Agricultural Waste Management--Continued
East Baton Rouge Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Sharkey-----	20	Very limited Depth to saturated zone Too level Flooding	1.00 0.50 0.40	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00
En: Essen-----	98	Very limited Seepage Depth to saturated zone Too acid	1.00 0.95 0.07	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Somewhat limited Depth to saturated zone Restricted permeability Too acid	0.95 0.21 0.07
Es: Essen-----	50	Very limited Seepage Depth to saturated zone Too level Too acid	1.00 0.95 0.50 0.07	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Somewhat limited Depth to saturated zone Restricted permeability Too acid	0.95 0.21 0.07
Lafe-----	40	Very limited Seepage Depth to saturated zone Too level Too acid	1.00 1.00 0.50 0.42	Not Rated Not Rated; Ksat		Not Rated Not Rated; Ksat Depth to saturated zone Too acid	1.00 0.42
Fn: Fountain-----	100	Not Rated Not Rated; CEC or Clay Depth to saturated zone Seepage Too level	 1.00 0.69 0.50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Not Rated Not Rated; CEC or Clay Depth to saturated zone Restricted permeability	 1.00 0.21
Fo: Fountain-----	50	Not Rated Not Rated; CEC or Clay Depth to saturated zone Seepage Too level	 1.00 0.69 0.50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Not Rated Not Rated; CEC or Clay Depth to saturated zone Restricted permeability	 1.00 0.21
Bonn-----	45	Not Rated Not Rated; CEC or Clay Depth to saturated zone Seepage Too level Flooding	 1.00 0.69 0.50 0.40	Not Rated Not Rated; Ksat		Not Rated Not Rated; Ksat Not Rated; CEC or Clay Depth to saturated zone Too acid	 1.00 0.31
Fr: Fred-----	90	Not Rated Not Rated; CEC or Clay Seepage Too level	 1.00 0.50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Not Rated Not Rated; CEC or Clay Restricted permeability	 0.21

Table AWM-2.--Agricultural Waste Management--Continued
East Baton Rouge Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Fs: Fred-----	50	Not Rated Not Rated; CEC or Clay Seepage Too level	1.00 1.00 0.50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Not Rated Not Rated; CEC or Clay Restricted permeability	0.21
Deerford-----	40	Very limited Seepage Depth to saturated zone Sodium content Too acid Too level	1.00 1.00 1.00 1.00 0.77 0.50	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Sodium content Too acid	1.00 1.00 0.77
FvA: Calloway-----	90	Not Rated Not Rated; CEC or Clay Seepage Depth to saturated zone Too acid Too level	1.00 1.00 1.00 0.91 0.50	Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay Depth to saturated zone Restricted permeability Too acid	1.00 0.96 0.91
FvB: Calloway-----	90	Not Rated Not Rated; CEC or Clay Seepage Depth to saturated zone Too acid	1.00 1.00 1.00 0.91	Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay Depth to saturated zone Restricted permeability Too acid	1.00 0.96 0.91
Fw: Frost-----	85	Very limited Depth to saturated zone Too acid Seepage Too level	1.00 1.00 0.77 0.69 0.50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Too acid Restricted permeability	1.00 0.77 0.21
Je: Jeanerette-----	90	Very limited Seepage Depth to saturated zone Too level	1.00 1.00 1.00 0.50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 0.21
Jn: Jeanerette Variant--	98	Very limited Seepage Depth to saturated zone Too level	1.00 1.00 1.00 0.50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 0.21
Jr: Jeanerette, light Co-	100	Very limited Seepage Depth to saturated zone Too level	1.00 1.00 1.00 0.50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 0.21

Table AWM-2.--Agricultural Waste Management--Continued
East Baton Rouge Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Jt: Jeanerette-----	60	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Restricted permeability	0.21
		Too level	0.50				
Frost-----	30	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Too acid	0.77	Depth to saturated zone	1.00	Restricted permeability	0.96
		Seepage	0.69			Too acid	0.77
		Too level	0.50				
		Flooding	0.40				
Jv: Jeanerette, Light Co	50	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Restricted permeability	0.21
		Too level	0.50				
Frost-----	30	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Too acid	0.77	Depth to saturated zone	1.00	Too acid	0.77
		Seepage	0.69			Restricted permeability	0.21
		Too level	0.50				
		Flooding	0.40				
La: Lafe-----	92	Very limited Seepage	1.00	Not Rated		Not Rated	
		Depth to saturated zone	1.00	Not Rated; Ksat		Not Rated; Ksat	
		Too level	0.50			Depth to saturated zone	1.00
		Too acid	0.42			Too acid	0.42
Lm: Loamy Alluvial Land-	50	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Depth to saturated zone	0.68
		Depth to saturated zone	0.68	Restricted permeability	1.00		
		Too level	0.50				
Mhoon-----	50	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Restricted permeability	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Restricted permeability	0.96
		Too level	0.50				
LoA: Loring-----	90	Not Rated		Very limited		Not Rated	
		Not Rated; CEC or Clay		Restricted permeability	1.00	Not Rated; CEC or Clay	
		Seepage	1.00	Depth to saturated zone	0.14	Restricted permeability	0.96
		Too acid	0.91			Too acid	0.91
		Depth to saturated zone	0.86			Depth to saturated zone	0.86
		Too level	0.50				

Table AWM-2.--Agricultural Waste Management--Continued
East Baton Rouge Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
LoB: Loring-----	90	Not Rated Not Rated; CEC or Clay Seepage Too acid Depth to saturated zone	1.00 0.91 0.86	Very limited Restricted permeability Depth to saturated zone	1.00 0.14	Not Rated Not Rated; CEC or Clay Restricted permeability Too acid Depth to saturated zone	0.96 0.91 0.86
LoC2: Loring-----	100	Not Rated Not Rated; CEC or Clay Seepage Too acid Depth to saturated zone	1.00 0.91 0.86	Very limited Restricted permeability Depth to saturated zone	1.00 0.14	Not Rated Not Rated; CEC or Clay Restricted permeability Too acid Depth to saturated zone Too steep for surface application	0.96 0.91 0.86 0.08
LoD2: Loring-----	100	Not Rated Not Rated; CEC or Clay Seepage Too acid Depth to saturated zone Too steep for surface application	1.00 0.91 0.86 0.06	Very limited Restricted permeability Slope Depth to saturated zone	1.00 0.88 0.14	Not Rated Not Rated; CEC or Clay Restricted permeability Too steep for surface application Too acid Depth to saturated zone	0.96 0.92 0.91 0.86
Ma: Made Land-----	100	Not rated		Not rated		Not rated	
MeA: Memphis-----	90	Not Rated Not Rated; CEC or Clay Seepage Too acid Too level	1.00 0.91 0.50	Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay Too acid	0.91
MeB: Memphis-----	90	Not Rated Not Rated; CEC or Clay Seepage Too acid	1.00 0.91	Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay Too acid	0.91
MeD2: Memphis-----	100	Not Rated Not Rated; CEC or Clay Seepage Too acid	1.00 0.91	Very limited Restricted permeability Slope	1.00 0.50	Not Rated Not Rated; CEC or Clay Too acid Too steep for surface application	0.91 0.68
Mh: Mhoon-----	95	Very limited Depth to saturated zone Seepage Too level	1.00 0.69 0.50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 0.96

Table AWM-2.--Agricultural Waste Management--Continued
East Baton Rouge Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Mn: Mhoon-----	95	Very limited Depth to saturated zone Seepage Too level	1.00 0.69 0.50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 0.96
Ms: Mhoon-----	60	Very limited Depth to saturated zone Seepage Too level	1.00 0.69 0.50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 0.96
Sharkey-----	35	Very limited Depth to saturated zone Too level Flooding	1.00 0.50 0.40	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00
Oc: Ochlockonee-----	90	Not Rated Not Rated; CEC or Clay Flooding Seepage Too acid Too level	1.00 1.00 1.00 0.77 0.50	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 1.00	Not Rated Not Rated; CEC or Clay Flooding Too acid Filtering capacity	1.00 0.77 0.00
OlA: Olivier-----	95	Very limited Seepage Depth to saturated zone Too acid Too level	1.00 1.00 0.77 0.50	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone Restricted permeability Too acid	1.00 0.96 0.77
OlB: Olivier-----	85	Very limited Seepage Depth to saturated zone Too acid	1.00 1.00 0.77	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone Restricted permeability Too acid	1.00 0.96 0.77
PrB: Providence-----	95	Not Rated Not Rated; CEC or Clay Seepage Depth to saturated zone Depth to cemented pan Too acid	1.00 1.00 1.00 1.00 0.91	Very limited Depth to cemented pan Restricted permeability	1.00 1.00	Not Rated Not Rated; CEC or Clay Depth to saturated zone Depth to cemented pan Too acid	1.00 1.00 1.00 0.91
Sc: Sharkey-----	95	Very limited Depth to saturated zone Too level Flooding	1.00 0.50 0.40	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00

Table AWM-2.--Agricultural Waste Management--Continued
East Baton Rouge Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Sh: Sharkey-----	100	Very limited Depth to saturated zone Seepage Too level Flooding	1.00 0.69 0.50 0.40	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00
Sk: Sharkey-----	40	Very limited Flooding Depth to saturated zone Too level	1.00 1.00 0.50	Very limited Flooding Restricted permeability Depth to saturated zone	1.00 1.00 1.00	Very limited Depth to saturated zone Flooding Restricted permeability	1.00 1.00 1.00
Tunica-----	30	Not Rated Not Rated; CEC or Clay Flooding Depth to saturated zone Too level	1.00 1.00 0.95 0.50	Very limited Flooding Restricted permeability Depth to saturated zone	1.00 1.00 1.00	Not Rated Not Rated; CEC or Clay Flooding Restricted permeability Depth to saturated zone	1.00 1.00 0.95
Sm: Sharkey-----	60	Very limited Flooding Depth to saturated zone Too level	1.00 1.00 0.50	Very limited Flooding Restricted permeability Depth to saturated zone	1.00 1.00 1.00	Very limited Depth to saturated zone Flooding Restricted permeability	1.00 1.00 1.00
Tunica-----	30	Not Rated Not Rated; CEC or Clay Flooding Depth to saturated zone Too level	1.00 1.00 0.95 0.50	Very limited Flooding Restricted permeability Depth to saturated zone	1.00 1.00 1.00	Not Rated Not Rated; CEC or Clay Flooding Restricted permeability Depth to saturated zone	1.00 1.00 0.95
SmB: Sharkey-----	45	Very limited Depth to saturated zone Too level Flooding	1.00 0.50 0.40	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00
Tunica-----	40	Not Rated Not Rated; CEC or Clay Depth to saturated zone	0.95	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Not Rated Not Rated; CEC or Clay Restricted permeability Depth to saturated zone	1.00 0.95
So: Smoothed Land-----	100	Not rated		Not rated		Not rated	

Table AWM-2.--Agricultural Waste Management--Continued
East Baton Rouge Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Sp: Springfield-----	95	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Restricted permeability	0.96
		Too acid	0.91			Too acid	0.91
		Too level	0.50				
Sr: Springfield-----	60	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Restricted permeability	0.96
		Too acid	0.91			Too acid	0.91
		Too level	0.50				
Olivier-----	30	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Restricted permeability	0.96
		Too acid	0.77			Too acid	0.77
		Too level	0.50				
Te: Terrace Escarpments-	100	Not rated		Not rated		Not rated	
Tn: Tunica-----	95	Not Rated Not Rated; CEC or Clay		Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay	
		Depth to saturated zone	0.95	Depth to saturated zone	1.00	Restricted permeability	1.00
		Too level	0.50			Depth to saturated zone	0.95
		Flooding	0.40				
Ts: Tunica-----	60	Not Rated Not Rated; CEC or Clay		Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay	
		Depth to saturated zone	0.95	Depth to saturated zone	1.00	Restricted permeability	1.00
		Too level	0.50			Depth to saturated zone	0.95
		Flooding	0.40				
Sharkey-----	30	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Too level	0.50	Depth to saturated zone	1.00	Restricted permeability	1.00
		Flooding	0.40				
Vd: Verdun-----	100	Not Rated Not Rated; CEC or Clay		Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay	
		Depth to saturated zone	1.00			Depth to saturated zone	1.00
		Seepage	0.69			Restricted permeability	0.21
		Too level	0.50				

Table AWM-2.--Agricultural Waste Management--Continued
East Baton Rouge Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ve: Verdun-----	65	Not Rated Not Rated; CEC or Clay Depth to saturated zone Seepage Too level	 1.00 0.69 0.50	Very limited Restricted permeability	 1.00	Not Rated Not Rated; CEC or Clay Depth to saturated zone Restricted permeability	 1.00 0.21
Deerford-----	35	Very limited Seepage Depth to saturated zone Sodium content Too acid Too level	 1.00 1.00 1.00 0.77 0.50	Very limited Depth to saturated zone Restricted permeability	 1.00 1.00	Very limited Depth to saturated zone Sodium content Too acid	 1.00 1.00 0.77
Vf: Verdun-----	60	Not Rated Not Rated; CEC or Clay Depth to saturated zone Seepage Too level	 1.00 0.69 0.50	Very limited Restricted permeability	 1.00	Not Rated Not Rated; CEC or Clay Depth to saturated zone Restricted permeability	 1.00 0.21
Fred-----	30	Not Rated Not Rated; CEC or Clay Seepage Too level	 1.00 0.50	Very limited Restricted permeability Depth to saturated zone	 1.00 1.00	Not Rated Not Rated; CEC or Clay Restricted permeability	 0.21
Wf: Waverly-----	60	Not Rated Not Rated; CEC or Clay Flooding Seepage Depth to saturated zone Too acid	 1.00 1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Restricted permeability	 1.00 1.00 1.00	Not Rated Not Rated; CEC or Clay Depth to saturated zone Flooding Too acid	 1.00 1.00 1.00
Falaya-----	30	Not Rated Not Rated; CEC or Clay Flooding Seepage Depth to saturated zone Too acid	 1.00 1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Restricted permeability	 1.00 1.00 1.00	Not Rated Not Rated; CEC or Clay Depth to saturated zone Flooding Too acid	 1.00 1.00 1.00
Za: Zachary-----	85	Not Rated Not Rated; CEC or Clay Flooding Seepage Depth to saturated zone Too acid	 1.00 1.00 1.00 0.91	Very limited Flooding Restricted permeability Depth to saturated zone	 1.00 1.00 1.00	Not Rated Not Rated; CEC or Clay Depth to saturated zone Flooding Restricted permeability Too acid	 1.00 1.00 0.96 0.91